

PRODUCT SPECIFICATION • JB-G1 • REVISION R1

9W 3-CCT Blue Floral Fabric Shade Table Lamp

蓝色花朵布罩台灯产品规格书



RATED POWER
9 W
RATED INPUT
AC 100–265 V, 50/60 Hz
CCT
3000 K / 4000 K / 6000 K
CONTROL
Inline push-button, 3-CCT cycle
LAMP HOLDER
E26
MODEL
JB-G1

Product positioning

Compact decorative bedside lamp with a printed fabric shade, black iron base and a replaceable E26 light-source platform. The inline button cycles among three color-temperature settings for bedroom, living-room, dormitory and hospitality use.

Compact 103 × 103 × 336 mm	Printed fabric shade	1.5 m US cord
----------------------------	----------------------	---------------

CLAIM CONTROL

This specification uses only supplied or explicitly stated parameters. LED bead count, AC input current, final master-carton size/weight, commercial terms and certifications remain subject to confirmation.

01 VERIFIED PRODUCT DATA

Technical specification / 技术规格

项目 / Item	规格 / Specification
Product / 产品	Blue Floral Fabric Shade Table Lamp / 蓝色花朵布罩台灯
Main model / 主型号	JB-G1
Rated power / 额定功率	9 W
Rated input / 额定输入	AC 100–265 V, 50/60 Hz
Light settings / 光色	3000 K warm / 4000 K neutral / 6000 K white
Control / 控制方式	Inline push-button; cycles through the three CCT settings
Brightness dimming / 亮度调光	Not claimed; 3-CCT switching only
Lamp holder / 灯头	E26
Plug / 插头	US 2-prong plug
Power cord / 电源线	Black, 1500 mm
Base to switch / 底座至开关	360.5 mm
Material / 材质	Printed fabric shade + iron base
Color / 颜色	Blue floral shade + black base
Use environment / 环境	Indoor dry locations

Mechanical dimensions / 结构尺寸

项目 / Item	规格 / Specification
Overall lamp / 整灯	103 × 103 × 336 mm
Shade / 灯罩	103 × 103 × 236 mm
Base / 底座	Source states 86 × 28 mm; third dimension pending confirmation

Electrical engineering reference / 电气工程参考

Driver output: DC 99 V, 80 mA (user-supplied historical value). Previous measured-power range: 8.7–8.9 W. Use 9 W as the public rated power. Verify all driver values against the approved production sample, nameplate and test report before mass production.

02 PACKAGING & LISTING DATA

Confirmed unit packaging / 已确认单品包装

项目 / Item	规格 / Specification
Package type / 包装	Color box / 彩盒
Single package size / 单品包装尺寸	120 × 120 × 350 mm (12 × 12 × 35 cm)
Manual / 说明书	A6 card stock; bilingual manual supplied as a separate controlled file
Base label / 底盘标签	50 × 30 mm
Single N.W. / 单品净重	TBC — measure production sample
Single G.W. / 单品毛重	TBC — measure packed sample

Recommended master-carton reference / 建议外箱参考

项目 / Item	规格 / Specification
Packing quantity / 装箱数	6 pcs/ctn
Arrangement / 排列	3 × 2 × 1
Reference carton / 参考外箱	Approx. 380 × 260 × 370 mm
Master N.W. / 外箱净重	TBC
Master G.W. / 外箱毛重	TBC

PACKAGING RELEASE CONDITION

The master-carton values above are planning references, not final shipping data. Release only after a packed-sample measurement, carton-spec approval, drop/transport test and final net/gross-weight measurement.

Alibaba.com public listing summary

- Product type: indoor decorative table lamp / bedside lamp.
- Core selling point: 9 W, three selectable CCT settings, compact printed-fabric-shade format.
- Applications: bedroom, bedside table, living room, dormitory, hotel guest room and gift channels.
- Customization may cover shade print, logo and color box only after sampling, MOQ and artwork approval.

03 PRE-PRODUCTION RELEASE CHECK

Items requiring written confirmation / 量产前书面确认

Field	Conflict / missing data	Publication rule	Status
LED bead quantity	"32 LEDs" vs "66 white + 66 warm LEDs" .	Confirm BOM/PCB; omit publicly.	TBC
CCT sequence / memory	First-on order and memory not confirmed.	State only the three-CCT cycle.	TBC
AC input current	No measured/nameplate value.	Use approved data or measurement.	TBC
Carton and weights	Final outer-carton data pending.	Measure approved packed sample.	TBC
Certification claims	No final model-specific document.	Claim only with exact coverage.	TBC
Commercial terms	MOQ, price, lead time, warranty pending.	Operator adds approved terms.	TBC

Configuration lock / 电器配置锁定

For any series-model or certification-family proposal, keep the approved lamp, driver, lamp holder, cord, inline switch, plug, insulation system and internal wiring unchanged unless the laboratory provides written acceptance. Shade pattern/shape and base styling changes must still be reviewed for stability, heat, accessibility and report coverage.

NO UNSUPPORTED CLAIMS

This file deliberately excludes UL, ETL, CE, FCC, RoHS, waterproof, lumen, CRI, lifetime, warranty, price, MOQ and lead-time claims because supporting documents or approved commercial data were not supplied.

Document control

项目 / Item	规格 / Specification
Document	JB-G1 Product Specification Sheet
Revision	R1
Issue date	2026-07-30
Prepared for	Jianbian Lighting
Release status	For sales-operations preparation; TBC items must be closed before publication or mass production